

Bring Seamless Efficiency

Keep your productivity flowing with the TASKalfa MZ4000i series.



TASKalfa MZ4000i / MZ3200i

**Monochrome Multifunction Product
for A4/A3 Format**

Born to be Extraordinary.

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds in developing document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.


Level Up Your Productivity

To drive your productivity, two key areas must be addressed: Optimized printer performance and downtime. **The TASKalfa MZ4000i series does both.** With the high print speed and Kyocera's reputation of highly reliable products, the TASKalfa MZ4000i series delivers exceptional quality without the wait.

Enhanced features for high productivity


Performance Upgrades

Featuring document processor that provides the fastest scanning speed of 200 sheets per minute at 300dpi, with the largest paper capacity of 320 sheets. Additionally, the document processor DP-7170 equipped with sensors that detects multiple paper feeds and staples, preventing scanning failures and protecting documents from damage.



Tilt correction

When scanning thick documents with a two-page spread such as books on the platen with open DP or Platen cover, it will auto detect and correct tilted page.



Auto detect tilt when scanning



Tilt correction

Set up of "Scan to Folder"

To send images scanned by the MFP to a folder on the PC via SMB, it is necessary to make complicated settings on the MFP and PC. Using this tool, you can easily set folder sharing settings and register in the MFP's address book by following the wizard, and setup can be completed smoothly.




Multiple cropping

This can make multiple receipts or business cards to digital data efficiently by scanning simultaneously, and saving them as individual files.




Scan up to 16 sheets at once



Autosave by page or file

Fault Isolation Function

When a failure occurs in the device, only functions related to the failure are disabled, meaning other functions can be used after restarting, thus reducing user downtime.



Working Smarter With Technology

Incorporating the latest technology, the devices provide a solution that will drive productivity by helping companies work smarter to produce higher quality results in less time than ever before.


Redefining Usability with tablet-like user interface

The TASKalfa MZ4000i series combines a simple, slick and fresh design with gesture-based operations, offering a fast and simple access to a wide range of document management functions with its new UI on a 10.1-inch resistive full-color touch panel. With minimized hardware keys, users can enjoy a seamless transition between the user interfaces while using the tablet-like display.



Handwriting recognition with artificial intelligence

With our latest AI technology, the TASKalfa MZ4000i series enables users to emphasize or overwrite the handwritten parts of a document without changing the format or image when scanning, making it easier to add better emphasis or highlight handwritten notes on a document, or to remove them altogether.



Touch-less ID card print

Print documents with just a touch of a card. On the TASKalfa MZ4000i series, printing can be started simply by holding IC cards over the device without touching the operation panel.

**Optional IC card authentication kit is required.*



Secure Your Business

Cyberthreats soar during periods of disruption.

With the TASKalfa MZ4000i series, you don't have to run the risk. Security starts from the ground up and Kyocera ensures your data, your device and your network are always protected.

Secure/Multipurpose Internet Mail Extensions (S/MIME)

Improves the security of email encryption by providing security for authentication, message integrity, the use of digital signatures and privacy and data security.

Simple Certificate Enrollment Protocol (SCEP)

Automatically ensures that the device has the latest security certificates and makes the issuing of digital certificates as effortless as possible.

Online Certificate Status Protocol/Certificate Revocation (OCSP/CRL)

Provides settings that can verify the validity of the certificates used in encrypted communications.

Security Information and Event Management (SIEM)

Provides the ability to log security events that help monitor potential unauthorized operations like malware, intrusions and information leakage.

TLS version 1.3 support

A faster, safer and more secure method of cryptography that encrypts data by providing secure communication between web browsers and servers.

Kyocera has been accredited with ISO 27001 certification, recognizing its commitment to the highest standards of information security management across the business.



Options

A *Installation of either a document processor or a platen cover is required.

+ DOCUMENT PROCESSOR

DP-7140

Low speed type document processor for max. 50 sheets.



DP-7150

High speed type document processor for max. 140 sheets



DP-7160

Duplex scanning and copying for up to 320 sheets.



DP-7170

Duplex scanning and copying for up to 320 sheets with multi feed detection and staple detection.



+ PLATEN COVER

Platen Cover Type(E)

Platen cover to secure originals on the platen glass.

B

+ FINISHER ATTACHMENT KIT

AK-740

Required when configuring with a finisher.



C

+ NUMERIC KEYPAD

NK-7120

External numeric keypad with start, stop and reset controls.



D

+ FINISHER

DF-7120

1000-sheet finisher. Supports shift-sorting and stapling, with optional punch unit.



DF-791

Stacking up to 3,000 sheets. Supports 2-tray sorting, shift-sorting and stapling, with optional punch unit and booklet folder.




MT-730(B)

Mailbox for DF-791.



PH-7C

Punch unit for DF-7120/DF-791.



E

+ PAPER FEEDER

PF-791

Double 500-sheet paper feeder.



PF-810

1,500 sheets x 2 rows paper feeders set.



+ INTERFACE

IB-37

An expansion option that supports Wi-Fi (5GHz / 2.4GHz) and enables high-speed wireless LAN communication. Complies with wireless standard of IEEE802.11a/b/g/n/ac, and allows use of infrastructure mode and Wi-Fi Direct at the same time.

IB-50

Expansion option for Network Connection Port (NIC). Enable connections of two LANs at one time.

+ OTHER OPTIONS

Fax System 12

For sending and receiving faxes. (Support maximum installation of 2 units)

Internet FAX Kit (A)

Supports fax function over the internet.
* The optional fax system is required separately.

Scan Extension kit (A)

Extended option for OCR scanning. Enables output of scanned documents into text searchable PDF, or further converting into Word, Excel, and PowerPoint formats.

HD-15 / HD-16

Expand HDD memory capacity to 320GB or 1TB, more documents, and PDF files with larger file size can be printed directly.

Card Authentication Kit

For access control with IC card authentication.
* A separate card reader is required.

IC Card Reader

IC card reader for identity authentication.
* A separate IC card authentication kit is required.

Main Specifications					
Model			TASKalfa MZ3200i	TASKalfa MZ4000i	
Main Function				Copy, Print, Scan, Fax (Optional)	
Writing Method				Semiconductor Laser	
CPU				ARM A53 1.6GHz	
Print Speed (A4)		Simplex (Mono)		32 ppm	40 ppm
Scanning Speed (A4) 300dpi (Reversing Automatic DP)	DP-7140 (Mono/Color)	Simplex	50/50 ipm		
		Duplex	16/16 ipm		
Scanning Speed (A4) 300dpi (Reversing Automatic DP)	DP-7150 (Mono/Color)	Simplex	80/80 ipm		
		Duplex	48/48 ipm		
Scanning Speed (A4) 300dpi Dual Scan	DP-7160 / DP-7170 (Mono/Color)	Simplex	100/100 ipm		
		Duplex	200/200 ipm		
Memory				Standard 4GB (Max. 4GB)	
SSD/HDD Capacity				32GB (Standard)/ 320GB, 1TB (Optional)	
Warm Up Time				18 seconds	
Paper Capacity	Standard		2 x 500 sheets (Cassette) + 100 sheets (MPT)		
	Maximum		4,100 sheets (Main Unit + PF-810 + MPT)		
Paper Size	Cassette		Min. A5R - Max. A3 (Ledger)		
	MPT		Min. A6R - Max. A3 (Ledger)		
Paper Weight	Cassette		60 - 163 g/m ²		
	MPT		45 - 256 g/m ²		
Duplex Printing				Paper size: A5R - A3 / Ledger; Paper weight: 60 - 163 g/m ²	
Output Capacity				250 sheets + 50 sheets (with Inner Job Separator) face-down	
Control Panel				10.1 inch Color Resistance film touch screen panel	
Dimension (W x D x H) (Main Unit)				594mm x 696mm x 683mm	
Weight (Main Unit)				Approx. 58 kg	
Power Consumption (Standard configuration)	Copy/Print Mode		510W or less	600W or less	
	Stand-by Mode		100W or less		
	Energy Saver		0.5W or less		
Noise (ISO7779/ ISO9296)	Copy/Print Mode		66.0dB(A)	67.0dB(A)	
	Stand-by Mode		43dB(A)		
Security standards				Common Criteria (applying for ISO/IEC15408 EAL2 certification application), IEEE 2600.2, HCD-PP, FIPS 140.2	
Certification Standards				WHQL, AirPrint, Mopria, Wi-Fi Alliance	
Copy Functions (Standard)					
Copy Size / Resolution / Multiple Copy				Min. A6R - Max. A3 (Ledger) / 600 x 600 dpi / 1-9999	
First Copy Time		4.3 seconds		3.6 seconds	
Zoom Ratio	Manual		25% - 400% (1% Step)		
Print Functions (Standard)					
Resolution				9,600 Equivalent x 600 dpi; 1,200 x 1,200 dpi	
PDL				PRESCRIBE, PCL6 (PCL-5e, PCL-XL), KPDL3 (PostScript 3 compatible), XPS, OpenXPS, PDF Direct Print, PPML	
First Print Out Time		4.9 seconds		4.2 seconds	
Encryption Communications				Ipsec, HTTPS, LDAP over SSL, SMTP over SSL, POP over SSL, FTP over SSL, SNMPv3	
Interface				USB3.0 Super-Speed USB x1; 1000BASE-T/100BASE-TX/10BASE-T x1; USB Host interface (USB Host) x4; NFC TAG x1, eKUIO x2	
USB Memory Printing				Standard	
Mobile Application				KYOCERA Mobile Print, MyPanel, Print Service Plugin	
Scan Functions (Standard)					
Color Selection				Color; Grayscale; Black & White	
Resolution				300dpi x 300dpi (Default), 200dpi x 200dpi , 200dpi x 100dpi, 600dpi x 600dpi , 400dpi x 400dpi , 200dpi x 400dpi, 1200dpi x 1200dpi (Only TWAIN driver and WIA driver)	
File Format				TIFF, JPEG, XPS, OpenXPS, PDF (MMR/ JPG compression/ High-compression PDF, Searchable PDF (Option)), MS Office file(Optional)	
Image Type Mode				Text, Photo, Text + Photo	
Transmission Type				Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan	
Address Storage				2,000 addresses (Common address list), 500 groups (Group address list)	
Fax Functions (Optional)					
Original Size				Min. A5 (Statement) - Max. A3 (Ledger), Banner paper: 1600mm	
Coding Method / Transmission Speed				MMR, MR, MH, JBIG / 33.6kbps	
G3 FAX / Network FAX / Dual FAX / Internet FAX				Yes / Yes (Fax System 12 x 2 units required) / T.37, T.37 DirectSMTP	
Consumables & Options					
Toner Kit			TK-7130: 20,000 pages		TK-7230: 35,000 pages
Maintenance Kit			MK-7129: 600,000 pages		
Platen Cover			Platen Cover Type E		
Document Processor			DP-7140: 50 sheets RADF Type; DP-7150: 140 sheets RADF Type; DP-7160: 320 sheets One-path Duplex Scanning Type; DP-7170: 320 sheets One-path Duplex Scanning Type with double paper feeding detector		
Paper Feeder			PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter)		
Finisher			AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH-12: Staple for DF-791; SH-10: Staple for DF-7120		
Fax System			Fax System 12		
Internet FAX			Internet FAX Kit(A)		
Card Authentication			Card Authentication Kit(B)		
Gigabit Ethernet Board			IB-50		
Wireless LAN Interface			IB-37 (802.11 b/g/n/Wireless LAN/WiFi Direct)		
Embedded OCR			Scan Extension Kit(A)		
Storage Device			HD-15: HDD 320GB, HD-16: HDD 1TB		
Numeric Key Pad			NK-7120		

Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

KYOCERA Document Solutions India Private Limited

First Floor, Block - A, First India Place, Sushant Lok Phase - 1,
M. G. Road, Gurugram - 122002 (Haryana), India
Tel: +91-124-4671000 Fax: +91-124-4671001



www.kyoceradocumentsolutions.com/in